

| Bisheriges Distributionspaket | Bisheriger Dateipfad | Neues Package | Neuer Name | Neues Distributionspaket |
|-------------------------------|--|--|------------|-------------------------------------|
| kernelsoftware-bibliothek-src | ars | - | - | - |
| kernelsoftware-bibliothek-src | ars/archive | - | - | - |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveDataCompression.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveDataKind.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveDataKindCombination.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveDataSpecification.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveOrder.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveQueryID.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveQueryPriority.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveRequestOption.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/ArchiveTimeSpecification.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/DataContainerIdentification.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/DataTiming.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistenceModule.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentContainerData.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentContainerStreamSupplier.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentData.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentDataContainer.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentDataRequest.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/PersistentDataStreamSupplier.java | de.bsvrz.dav.daf.main.impl.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/TimingType.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/filesaver | de.bsvrz.dav.daf.main.impl.archive.filesaver | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/filesaver/ArchiveFileSaver.java | de.bsvrz.dav.daf.main.impl.archive.filesaver | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/filesaver/BadVolumeException.java | de.bsvrz.dav.daf.main.impl.archive.filesaver | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request | - | | - |
| kernelsoftware-bibliothek-src | ars/archive/request/ArchiveAlignment.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/ArchiveAvailabilityListener.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/DataStream.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/DeleteData.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/DeleteSimulationVariant.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/IncreaseDeleteTime.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/Query.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/RequestData.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/RequestInfo.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/RestoreData.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/SaveData.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/StreamedArchiveData.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/StreamedArchiveRequester.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/StreamedRequestManager.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | ars/archive/request/SubscriptionArchiveOnlineDataManager.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | clientResourceBundle.properties | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav | - | | - |
| kernelsoftware-bibliothek-src | dav/daf | - | | - |
| kernelsoftware-bibliothek-src | dav/daf/DataState.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/Dataset.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/DavConnectionListener.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars | - | | - |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveData.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveDataQueryResult.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveDataStream.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveInfoQueryResult.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveInfoResult.java | de.bsvrz.dav.daf.main.impl.archive.request | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveInformationResult.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveQueryResult.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/ArchiveRequestManager.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/DatasetReceiverInterface.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/ars/HistoryTypeParameter.java | de.bsvrz.dav.daf.main.archive | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/config | - | | - |
| kernelsoftware-bibliothek-src | dav/daf/config/AttributeGroupUsageIdentifications.java | de.bsvrz.dav.daf.main.impl.config | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/config/ConfigurationChangeException.java | de.bsvrz.dav.daf.main.impl.config | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/config/ConfigurationTaskException.java | de.bsvrz.dav.daf.main.impl.config | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/config/ObjectTimeSpecification.java | de.bsvrz.dav.daf.main.impl.config | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/daf/config/TimeSpecificationType.java | de.bsvrz.dav.daf.main.impl.config | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data | - | | - |
| kernelsoftware-bibliothek-src | dav/data/DataFactory.java | de.bsvrz.dav.daf.communication.dataRepresentation.data | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/Deserializer.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/DeserializerImplementationA.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/NoSuchVersionException.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/Serializer.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/SerializerImplementationA.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/SerializingFactory.java | de.bsvrz.sys.funclib.dataSerializer | | de.bsvrz.sys.funclib.dataSerializer |
| kernelsoftware-bibliothek-src | dav/data/bytarray | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayArrayData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayListArrayItemData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayListData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayPrimitiveArrayItemData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayPrimitiveData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/bytarray/ByteArrayStructuredData.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.byteArray | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/info | de.bsvrz.dav.daf.communication.dataRepresentation.data.info | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/info/AttributeDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/info/AttributeInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/info/version1 | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernelsoftware-bibliothek-src | dav/data/info/version1/AbsoluteMillisecondsDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |

| Bisheriges Distributionspaket | Bisheriger Dateipfad | Neues Package | Neuer Name | Neues Distributionspaket |
|-------------------------------|--|--|------------|--------------------------|
| kernsoftware-bibliothek-src | dav/data/info/version1/AbsoluteSecondsDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/AbstractAttributeDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/AbstractAttributeInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ArrayAttributeInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ArrayElementAttributeInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/AttributeGroupInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/AttributeSetDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/AttributeTypeDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ByteDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ConcreteDataFactory.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/DoubleDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/FloatDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/IntDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/LongDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/NumberDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ReferenceDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/RelativeMillisecondsDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/RelativeSecondsDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/RelativeTimeDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/ShortDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/SingleAttributeInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/info/version1/StringDefinitionInfo.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.info.version1 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/util | de.bsvrz.dav.daf.communication.dataRepresentation.data.util | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | dav/data/util/AttributeValues.java | de.bsvrz.dav.daf.communication.dataRepresentation.data.util | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | pat | - | | - |
| kernsoftware-system-src | pat | - | | - |
| kernsoftware-system-src | pat/browser | - | | - |
| kernsoftware-system-src | pat/browser/BrowserApp.java | - | | - |
| kernsoftware-system-src | pat/common | - | | - |
| kernsoftware-system-src | pat/common/DataKindDeterminer.java | de.bsvrz.pat.oniprot.protocoller.dataKindDeterminer | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/common/ProtocolModuleConnector.java | de.bsvrz.pat.oniprot.protocoller.protocolModuleConnector | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/common/Role.java | - | | - |
| kernsoftware-system-src | pat/common/SubscriptionInfo.java | de.bsvrz.pat.oniprot.protocoller.dataKindDeterminer | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/common/package.html | - | | - |
| kernsoftware-system-src | pat/gen | - | | - |
| kernsoftware-system-src | pat/gen/DataGenerator.java | de.bsvrz.pat.datgen.generator.main | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/Queue.java | de.bsvrz.pat.datgen.generator.main | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/SaxHandler.java | de.bsvrz.pat.datgen.generator.xmlParser | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/SendInterface.java | de.bsvrz.pat.datgen.generator.main | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/ValidityChecker.java | de.bsvrz.pat.datgen.generator.xmlParser | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/XmlFormatReader.java | de.bsvrz.pat.datgen.generator.xmlParser | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/package.html | de.bsvrz.pat.datgen | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gen/protokolV3.dtd | de.bsvrz.pat.datgen.generator.xmlParser | | de.bsvrz.pat.datgen |
| kernsoftware-system-src | pat/gtm | - | | - |
| kernsoftware-system-src | pat/gtm/ApplicationInterface.java | de.bsvrz.pat.sysbed.main | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/ExternalModule.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/ExternalModuleAdapter.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/GenericTestMonitor.java | de.bsvrz.pat.sysbed.main | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/KZS-Logo.png | - | | - |
| kernsoftware-system-src | pat/gtm/SettingsHandler.java | de.bsvrz.pat.sysbed.main | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/TestMonitorApplication.java | de.bsvrz.pat.sysbed.main | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/kappich-logo.png | de.bsvrz.pat.sysbed.main | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module | - | | - |
| kernsoftware-system-src | pat/gtm/module/ButtonBar.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/ConfigurationDataModule.java | de.bsvrz.pat.sysbed.plugins.configdata | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/DatGenModule.java | de.bsvrz.pat.sysbed.plugins.datgen | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/DataIdentificationChoice.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/DialogInterface.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/OnlineProtocolModule.java | de.bsvrz.pat.sysbed.plugins.oniprot | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/OnlineTableModule.java | de.bsvrz.pat.sysbed.plugins.onlinetable | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/OutputOptionsPanel.java | de.bsvrz.pat.sysbed.plugins.api | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/ParameterEditorModule.java | de.bsvrz.pat.sysbed.plugins.parameditor | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/SendCurrentDataModule.java | de.bsvrz.pat.sysbed.plugins.datasender | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/ShowCurrentDataModule.java | de.bsvrz.pat.sysbed.plugins.datareceiver | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/StreamBasedArchiveRequestModule.java | de.bsvrz.pat.sysbed.plugins.archivequest | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/module/SystemProtocolModule.java | de.bsvrz.pat.sysbed.plugins.sysprot | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/settings | de.bsvrz.pat.sysbed.plugins.api.settings | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/settings/KeyValueObject.java | de.bsvrz.pat.sysbed.plugins.api.settings | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/gtm/settings/SettingsData.java | de.bsvrz.pat.sysbed.plugins.api.settings | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | pat/paramedi | de.bsvrz.pat.sysbed.plugins.parameditor | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | pat/paramedi/ParameterChangeInformer.java | de.bsvrz.pat.sysbed.plugins.parameditor | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | pat/paramedi/ParameterControllerInterface.java | de.bsvrz.pat.sysbed.plugins.parameditor | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | pat/paramedi/ParameterEditor.java | de.bsvrz.pat.sysbed.plugins.parameditor | | de.bsvrz.pat.sysbed |
| kernsoftware-system-src | pat/prot | de.bsvrz.pat.oniprot.protocoller.main | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/prot/Receiver.java | de.bsvrz.pat.oniprot.protocoller.main | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/prot/ResultDataPrinter.java | de.bsvrz.pat.oniprot.protocoller.main | | de.bsvrz.pat.oniprot |
| kernsoftware-system-src | pat/prot/package.html | de.bsvrz.pat.oniprot.protocoller.main | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules | de.bsvrz.pat.oniprot.protocoller.main | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/ClientProtocolInterface.java | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/ExtendedProtocolInterface.java | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/ProtocolModule.java | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/ProtocolModuleInterface.java | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/StandardProtocol.java | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |
| kernsoftware-bibliothek-src | pat/protocolModules/package.html | de.bsvrz.pat.oniprot.standardProtocolModule | | de.bsvrz.pat.oniprot |

| Bisheriges Distributionspaket | Bisheriger Dateipfad | Neues Package | Neuer Name | Neues Distributionspaket |
|-------------------------------|--|---|------------|--------------------------|
| kernsoftware-system-src | puk/configuration/management/communication/ConfigurationCommunicator.java | de.bsvrz.puk.config.main.communication | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/communication/ConfigurationRequesterCommunicator.java | de.bsvrz.puk.config.main.communication | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/consistencycheck | de.bsvrz.puk.config.main.consistencycheck | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/consistencycheck/ConsistencyCheck.java | de.bsvrz.puk.config.main.consistencycheck | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/consistencycheck/KindOfConsistencyCheck.java | de.bsvrz.puk.config.main.consistencycheck | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/dataview | de.bsvrz.puk.config.main.dataview | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/dataview/VersionedView.java | de.bsvrz.puk.config.main.dataview | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/importexport | de.bsvrz.puk.config.main.importexport | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/importexport/ComparePropertiesWithSystemObjects.java | de.bsvrz.puk.config.main.importexport | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/importexport/ConfigurationExport.java | de.bsvrz.puk.config.main.importexport | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/importexport/ConfigurationImport.java | de.bsvrz.puk.config.main.importexport | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile/ConfigurationAreaManagementInfo.java | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile/ConfigurationManagementFile.java | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile/ManagementFile.java | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile/VersionInfo.java | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/managementfile/verwaltungsdaten.dtd | de.bsvrz.puk.config.main.managementfile | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/ConfigSimulationObject.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/Deleted.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/NewSimulation.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/NotReady.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/Ready.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/SimulationState.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/SimulationStates.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/SourceSimulationStatus.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/management/simulation/Util.java | de.bsvrz.puk.config.main.simulation | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query/ConfigurationAnswerAreaTasks.java | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query/ConfigurationAnswerReadTasks.java | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query/ConfigurationAnswerUserAdministrationTasks.java | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query/ConfigurationAnswerWriteTasks.java | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/configuration/query/ConfigurationQueryManager.java | de.bsvrz.puk.config.main.communication.query | | de.bsvrz.puk.config |
| kernsoftware-system-src | puk/param | de.kappich.puk.param.main | | de.kappich.puk.param |
| kernsoftware-system-src | puk/param/ParamApp.java | de.kappich.puk.param.main | | de.kappich.puk.param |
| kernsoftware-system-src | puk/param/ParameterObserver.java | de.kappich.puk.param.main | | de.kappich.puk.param |
| kernsoftware-system-src | puk/param/PersistenceHandler.java | de.kappich.puk.param.main | | de.kappich.puk.param |
| kernsoftware-system-src | puk/param/PersistenceHandlerManager.java | de.kappich.puk.param.main | | de.kappich.puk.param |
| kernsoftware-system-src | serverResourceBundle.properties | de.bsvrz.dav.dav.main | | de.bsvrz.dav.dav |
| kernsoftware-bibliothek-src | stauma | - | | - |
| kernsoftware-system-src | stauma | - | | - |
| kernsoftware-bibliothek-src | stauma/dav | - | | - |
| kernsoftware-system-src | stauma/dav | - | | - |
| kernsoftware-bibliothek-src | stauma/dav/clientside | - | | - |
| kernsoftware-bibliothek-src | stauma/dav/clientside/AbstractData.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ApplicationCloseActionHandler.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/AttributeBaseValueDataFactory.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/AttributeGroupSubSet.java | - | | - |
| kernsoftware-bibliothek-src | stauma/dav/clientside/CacheManager.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/CacheObject.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientConnectionProperties.java | de.bsvrz.dav.daf.communication.protocol | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientDavConnection.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientDavInterface.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientDavParameters.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientHighLevelCommunication.java | de.bsvrz.dav.daf.communication.protocol | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientReceiverInterface.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ClientSenderInterface.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ConfigurationManager.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/Data.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/DataDescription.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/DataNotSubscribedException.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/HistorySpecification.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/InconsistentLoginException.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/NonQueueingReceiver.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/NormalCloser.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ReceiveOptions.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ReceiverSubscriptionObject.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ReceiverRole.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/ResultData.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SendSubscriptionObject.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SenderRole.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SimulationTime.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SplittedTelegramsTable.java | de.bsvrz.dav.daf.communication.lowLevel | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SubscriptionManager.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/clientside/SystemTerminator.java | de.bsvrz.dav.daf.main | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common | - | | - |
| kernsoftware-bibliothek-src | stauma/dav/common/AttributeBaseValue.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AttributeGroupAspectCombination.java | de.bsvrz.dav.daf.communication.lowLevel.telegrams | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AttributeHelper.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AttributeListValue.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AttributeValue.java | de.bsvrz.dav.daf.communication.dataRepresentation | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AuthenticationHmacMD5.java | de.bsvrz.dav.daf.communication.hmacmd5 | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/AuthenticationProcess.java | de.bsvrz.dav.daf.communication.lowLevel | | de.bsvrz.dav.daf |
| kernsoftware-bibliothek-src | stauma/dav/common/CommunicationConstant.java | de.bsvrz.dav.daf.main.impl | | de.bsvrz.dav.daf |

| Bisheriges Distributionspaket | Bisheriger Dateipfad | Neues Package | Neuer Name | Neues Distributionspaket |
|-------------------------------|--|--|-----------------------------------|-------------------------------------|
| kernsoftware-bibliothek-src | sys/funclib/preselection/PreselectionTreeListener.java | de.bsvrz.pat.sysbed.preselection.tree | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | sys/funclib/preselection/TreeNodeObject.java | de.bsvrz.pat.sysbed.preselection.tree | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | sys/funclib/preselection/active-close-button.png | de.bsvrz.pat.sysbed.preselection.lists | | de.bsvrz.pat.sysbed |
| kernsoftware-bibliothek-src | sys/funclib/profile | de.kappich.sys.funclib.profile | | de.kappich.sys.funclib.profile |
| kernsoftware-bibliothek-src | sys/funclib/profile/LapStatistic.java | de.kappich.sys.funclib.profile | | de.kappich.sys.funclib.profile |
| kernsoftware-bibliothek-src | sys/funclib/tools | de.kappich.tools.sleep.main | | de.kappich.tools.sleep |
| kernsoftware-bibliothek-src | sys/funclib/tools/Sleep.java | de.kappich.tools.sleep.main | | de.kappich.tools.sleep |
| kernsoftware-system-src | sys/funclib/xml | de.bsvrz.sys.funclib.xmlSupport | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/CountingErrorHandler.java | de.bsvrz.sys.funclib.xmlSupport | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/DebuggingContentHandler.java | de.bsvrz.sys.funclib.xmlSupport | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/SilentContentHandler.java | de.bsvrz.sys.funclib.xmlSupport | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/AttributeMap.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/CharactersEvent.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/EndElementEvent.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/EndOfInputEvent.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/Event.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/EventType.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/IgnoreableCharactersEvent.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/PullableEventStream.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/SaxPullAdapter.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | sys/funclib/xml/pull/StartElementEvent.java | de.bsvrz.sys.funclib.xmlSupport.saxPullAdapter | | de.bsvrz.sys.funclib.xmlSupport |
| kernsoftware-system-src | view/operatingMessage | - | | - |
| kernsoftware-system-src | view/operatingMessage/OperatingMessageApplication.java | de.kappich.samples.operatingMessage.main | OperatingMessageSampleApplication | de.kappich.samples.operatingMessage |
| kernsoftware-system-src | view/operatingMessage/messageManager | de.kappich.view.bmview.main | | de.kappich.view.bmview |
| kernsoftware-system-src | view/operatingMessage/messageManager/SimpleMessageManager.java | de.kappich.view.bmview.main | | de.kappich.view.bmview |